

Material Safety Data Sheet

Section 1: Identification of Product & Supplier

Product: Dektite EPDM

Classification: Not hazardous according to the criteria of Worksafe Australia

Uses: Waterproofing medium for civil constructions

Manufactured by: Deks Industries Pty Ltd

ABN: 77 107 135 544

Street Address: 5/841 Mountain Highway

Bayswater Vic 3153

Australia

Telephone: + 61 3 8727 8811 Facsimile: + 61 3 9720 1000

Emergency Phone As above

Web: www.deks.com.au

Section 2: Hazards Identification

Hazard Category: Nil

Risk Phases: None identified

D.G Class: Not classified as dangerous goods

Subsidiary Risk: Nil

Poison Schedule: Not listed

Section 3: Composition & information on ingredients

Composition: Composite consisting of moulded EPDM on an aluminium base. EPDM

component consists of mineral filler, carbon black, zinc oxide, fatty acids, paraffinic oil, organic accelerators, sulphur and other minor constituents.

Statement: This product does not contain any hazardous ingredients at or above regulated

thresholds.

Section 4: First Aid Measures

Eve Contact: In case of contact, immediately flush eyes with a copious amount of water for

at least 15 minutes. Get medical attention if irritation occurs.

Skin Contact: In case of contact, immediately flush skin with plenty of water. Remove

contaminated clothing and shoes. Wash clothing before reuse. Clean shoes

thoroughly before reuse. Get medical attention if irritation develops.

Inhalation: If inhaled, remove to fresh air. Get medical attention if symptoms appear.

Ingestion: Do NOT induce vomiting unless directed to do so by medical personnel. Never

give anything by mouth to an unconscious person. If large quantities of this

material are swallowed, call a physician immediately.



Section 5: Fire-Fighting Measures

Extinguishing Water, foam, dry chemical powder, Carbon dioxide.

Media:

Specific Hazards: The material is stable under normal conditions. On decomposition gives off

carbon dioxide, carbon monoxide and other complex fumes derived from

organic accelerators, antioxidants, paraffinic oil and processing aids.

Special fire- None identified.

fighting

procedures

Fire-fighter: Fire-fighters should wear self-contained positive pressure breathing apparatus

(SCBA) and full turnout gear.

Section 6: Accidental Release Measures

Small Spills: Shut off all possible ignitions sources. Avoid contamination of drains,

sewerage and waterways. Collect and seal in properly labelled containers for

disposal as per local council statutory codes.

Large Spill: As above, no additional precaution required, if in doubt advise Emergency

Services.

Section 7: Handling & Storage

Storage: Store in closed original container. No specific storage precaution required. No

known incompatibility with normal range of industrial materials.

Section 8: Exposure Controls & Personal Protection

Biological Limits No biological limit allocated.

Values:

Engineering Special ventilation is not normally required due to the low volatility and

Controls: stability of the product at normal temperature.

Personal Respiratory: Respirators not required if handled and installed in line

Protection: with suppliers recommendation.

Skin & Body: None required; however use of protective clothing is good

industrial practice.

Hand Protection: If prolonged and repeated contact is likely. Chemical

resistant gloves. Recommended Nitrile.

Eye Protection: Safety glasses with side shields.

Section 9: Physical & Chemical Properties

Physical One piece flexible EPDM boot moulded to a flexible aluminium base

Appearance:

Colour: Grey, Red or black

Flash Point: >200 °C

Vapour Density: Not available

Viscosity: Not available

pH: Not available

Boiling Not available

point/range:

Specific Gravity 1.20 - 1.27

Solubility: Insoluble in water



Section 10: Stability & Reactivity

Stability: The product is stable under normal conditions and use.

Section 11: Toxicology Information

No adverse health effects are expected if the product is handled in accordance with the Material Safety Data Sheet. Symptoms that may arise if the product is

miss handled are:

Acute Effects: Ingestion: Harmful if swallowed. May cause gastrointestinal discomfort

and irritation.

Eye: Brief contact may cause mild irritation to eyes.

Skin: Mildly irritating to sensitive individuals.

Inhaled: Not hazardous at ambient temperatures. Vapours generated

at elevated temperatures may cause irritation to nose, throat

and respiratory tract.

Long Term Effects: Repeated skin contact and inhalation may result in sensitisation in some

individuals. May cause allergic reaction, dermatitis or asthma like symptoms. Follow good working practice. Avoid ingestion, inhalation, eye and skin contact. Wash hands with soap and water before eating, drinking, smoking or

using toilet facilities.

Acute &Chronic None identified.

Toxicity:

Section 12: Ecological Information

Avoid contamination of drains, sewerage, creeks and waterways.

Not toxic to aquatic organisms.

Section 14: Transport Information

For road, marine and air transport this product is not classified as dangerous

goods within the context of National Transport Regulations.

UN. No.: Not Allocated Shipping Name: Not Applicable

Class: Not classified as dangerous goods.

Subsidiary Risk: Nil

Packaging Group: Not Applicable
Hazchem Code: Not Applicable
EPG: Not Applicable

Segregation: Not Applicable

Section 15: Regulatory Information

Standard for the Uniform Scheduling of Drugs and Poisons; not regulated Control of Scheduled Carcinogenic Substances; no listed substance



Section 16: Other Information

Date of 06.08.2013

Preparation:

Date or Revision: 06.08.2018 **Reasons for Issue** New Information

MSDS's are updated frequently. Please ensure you have the current copy. This MSDS summarises at the date of issue our best knowledge of health and safety hazard information of the product, and in particular how to handle

and use the product in the workplace. Since Deks Industries Pty Ltd

cannot anticipate or control the conditions under which the product may be used each user must, prior to usage, review this MSDS in the context to use

and handling of the product in the workplace.

If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact Deks Industries Pty Ltd. Our responsibility for the product as sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon

request.